

TRIPLE CROWN® BALANCER GOLD

13.5% Protein • 4.5% Fat • 15% Fiber • 1,300 KCAL/lb.

A low carbohydrate (sugar and starch), highly fortified supplement with no soy and no molasses for horses of any age. Balancer Gold can be used to balance pasture and/or hay, improve nutrition in diets when feeding small amounts or mixing with whole grains.

IDEAL FOR: Ponies, miniature horses, easy keepers, horses with metabolic disease

Guaranteed Analysis:	
Crude Protein (min.)	Zinc (min.)
Lysine (min.)	Manganese (min.) 575 ppm
Methionine (min.) 0.29%	Cobalt (min.)
Threonine (min.) 0.60%	Copper (min.)
Tryptophan (min.) 0.25%	Iron (min.)
Leucine (min.)	Vitamin A (min.)
Crude Fat (min.) 4.50%	Vitamin D3 (min.)
Crude Fiber (max.)	Vitamin E (min.)
ADF (max.)	Riboflavin (min.)
NDF (max.)	Thiamin (min.)42.00 mg/lb.
Calcium (min./max.)	Ascorbic Acid (min.)
Phosphorus (min.)	Biotin (min.)
Magnesium (min.)	Total Direct Fed Microbials (min.)
Potassium (min.)	Lactobacillus Acidophilus Fermentation Product (min.) 4.54 billion CFU/lb.
Sodium (min./max.)	Enterococcus Faecium Fermentation Product (min.) 4.54 billion CFU/lb.
Chloride (min.) 0.65%	Bacillus Subtilis Dried Fermentation Product (min.) 125 million CFU/lb.
Salt (min./max.)	Saccharomyces Cerevisiae Yeast Culture (min.)
Omega-3 Fatty Acids (min.) 1.20%	Cellulase (Trichoderma Longibrachiatum) (min.) 2.95 million CU/lb.
Omega-6 Fatty Acids (min.) 1.00%	Protease (Bacillus Subtilis) (min.)**
Selenium (min./max.)	

^{*}One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C'

Ingredients:

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001)

Dehydrated Alfalfa Meal, Wheat Middlings, Dried Whey, Ground Flaxseed, Calcite, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Yeast Culture, Hydrolyzed Yeast, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Dried Trichoderma Longibrachiatum Fermentation Extract, Dried Bacillus Subtilis Fermentation Extract, Zinc Hydroxy Chloride, Manganese Hydroxy Chloride, Copper Hydroxy Chloride, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Kelp Meal, Lecithin, Magnesium Proteinate, Selenium Yeast, L-Lysine, DL-methionine, L-Threonine, L-Tryptophan, L-Leucine, Salt, Sodium Bicarbonate, Fenugreek Seed, Anise, Ascorbic Acid (Source of Vitamin C), Niacin Supplement, Biotin, Vitamin A Supplement, Vitamin E Supplement, Thiamine Mononitrate, Beta Carotene, Calcium Pantothenate, Riboflavin Supplement, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Vitamin D3 Supplement, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Folic Acid, Hydrated Sodium Calcium Aluminosilicate, Brewers Dried Yeast, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Cobalt Proteinate, Iron Amino Acid Complex, Ethylenediamine Dihydroiodide, (Propionic Acid, Sodium Benzoate, Potassium Sorbate (Preservatives)).

Feeding Directions:

Triple Crown Balancer Gold can be used to balance pasture and/or hay, improve nutrition in diets when feeding small amounts, or to mix with your own grains for a balanced diet. Adjust feed, pasture or hay to maintain desired body condition. For balancing pasture and/or hay, feed 1 to 1.5 lb. per 1,000 lb. of body weight. Feed .5 to .75 lb. for ponies. For horses in moderate to high levels of activity, and for broodmares and breeding stallions, feed 1.5 to 2 lb. per day. For balanced diets where current feeding rates fall below the minimum for that diet, add .5 to 1 lb. per 1,000 lb. of body weight along with the diet being fed. Feed .25 to .5 lb. for ponies. For horses with moderate to high levels of activity, and for broodmares and breeding stallions, feed 1 lb. per day. When mixing with your own grains (oats, corn or barley), mix at a ratio of 1:4.5 of Triple Crown Balancer Gold along with your grains and add molasses, if desired, for palatability and consistency.

NOTE: Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

^{**} One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid.