



SGOATPEL

Augusta, 16% Show Market Goat

Pellet

Formulated for all classes of non-lactating goats.

MEDICATED

For the prevention of coccidiosis caused by *Eimeria crandalis*, *Eimeria christenseni* and *Eimeria ninakohlyakimovae*.

ACTIVE DRUG INGREDIENT

Monensin (as monensin sodium) 20.0 g/ton

Guaranteed Analysis

Crude Protein	(Min)	16.0 %
* Contains not more than 2.0% protein from non-protein nitrogen.		
Crude Fat	(Min)	3.9%
Crude Fiber	(Max)	12.5 %
Calcium	(Min) 1.0	(Max) 1.6 %
Phosphorus	(Min)	0.4 %
Salt	(Min) 0.4	(Max) 1.1 %
Copper	(Min) 37	(Max) 40 ppm
Selenium	(Min)	0.40 ppm
Vitamin A	(Min)	3.5 KIU/lb

List of Ingredients

Grain Products, Processed Grain By-Products, Plant Protein Products, Roughage Products, Forage Products, Molasses Products, Calcium Carbonate, Ammonium Chloride, Salt, Thiamine Mononitrate, Selenium Yeast, Dried *Aspergillus oryzae* fermentation product, Dried *Aspergillus niger* fermentation product, Dextrose, Lactose, Cobalt Carbonate, Mineral Oil, Natural Flavors, Zinc Methionine Complex, Manganese Methionine Complex, Copper Lysine Complex, Cobalt Glucoheptonate, Artificial Flavors, Calcium Silicate, Hydrolyzed Yeast, Brewers Dried Yeast, (Propionic Acid, Acetic Acid, Benzoic Acid and Sorbic Acid as preservative), Chromium Propionate and Biotin Supplement.

Feeding Directions

Feed continuously with good quality forage and fresh, clean water.

CAUTION: Do not allow horses or other equines access to feeds containing Monensin.

Monensin medicated goat and cattle feeds are safe for use in goats and cattle only.

Consumption by unapproved species may result in toxic reactions.

LIMITATIONS: Feed continuously. Do not feed to lactating goats.

Do not feed to sheep.

Use as directed.

Manufactured By:

Augusta Cooperative Farm Bureau, Inc.

Staunton, Virginia 24401

NET WEIGHT 50 LBS. (22.68 kg)

SHOWGOATPELLET

MEDICATED