

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION**

**HUMANS:** Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**ANIMALS:** Avoid contact with eyes, or mucous membranes. Avoid treatment of foals under 6 weeks of age unless prescribed by a veterinarian.

FIRST AID	
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15–20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
In case of emergency or for product information, call (800) 234-2269	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur.

**STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry place inaccessible to children and pets. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

 **Farnam**™ Your Partner in Horse Care™

Manufactured for:  
**FARNAM COMPANIES, INC.**  
 Horse Products Division  
 P.O. Box 34820 • Phoenix, AZ 85067-4820 • farnamhorse.com

**Kills & Repels**  
 6 Fly Species,  
 Ticks, Gnats  
 & Mosquitoes



**BRONCO<sup>®e</sup>**

**Equine Fly Spray**  
 Plus Citronella Scent

**Insecticide & Repellent For Use on Horses,  
 Ponies, Foals and in Horse Barns and Stables**



**ACTIVE INGREDIENTS:**

Prallethrin	0.033%
Permethrin**	0.100%
Piperonyl Butoxide, Technical**	0.500%

<b>OTHER INGREDIENTS</b>	99.367%
<b>TOTAL</b>	100.000%

\* (RS)-2-Methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (1R)-cis, trans chrysanthemate (ETOC<sup>®</sup>)

\*\* (3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethyl) 2,2-dimethyl cyclopropane carboxylate.

cis/trans ratio: min 35% (±) cis and max. 65% (±) trans.

\*\*\* Equivalent to 0.40% (butylcarbityl) (6-propylpiperonyl) ether and 0.10% of related compounds.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel for additional precautionary statements

Net Contents 1 Qt (.946 L)

**READ ENTIRE LABEL BEFORE EACH USE**  
**USE ONLY ON HORSES, PONIES AND FOALS**  
**NOT FOR USE ON HORSES INTENDED FOR SLAUGHTER**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR HORSES USE FULL STRENGTH.** This non-oily insecticide repellent may be applied with a trigger spray applicator, or as a wipe. Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks, fleas, chiggers, and lice. Not for use on horses intended for slaughter.

**DIRECTIONS FOR TRIGGER SPRAY USE:** Remove excess dirt and dust. Apply light spray mist to coat while brushing lightly against lay of the hair. Avoid spray in eyes and mucous membranes. Apply with sponge or cloth to those areas.

**DIRECTIONS FOR WIPE-ON USE:** Thoroughly brush horse to remove excess dirt and dust. Extremely dirty horses should be shampooed, rinsed, and allowed to dry before applying wipe. Use a sponge or clean soft cloth or mitt. Apply liberally over areas to be protected. Pay special attention to legs, belly, shoulders, neck, and facial areas. Avoid eyes and mucous membranes.

**TO KILL AND REPEL FLYING INSECTS IN HORSE QUARTERS:** Use this product in horse barns and stables to kill and repel stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks (including Deer Ticks), fleas, chiggers, and lice. Apply undiluted as either a surface spray or space spray (fog).

**Surface Spraying:** Use a good sprayer adjusted to deliver a coarse wet spray. Apply as a coarse wet spray using 1 pint per 1,000 square feet. Direct the spray wherever flies congregate or alight, until surfaces are moistened. Treat around doorways, feed storage rooms, alleyways and windowsills. Spray around outside of door facings and screens to render area unattractive to insects. This helps to repel insects and prevent entrance into building.

**Space Spraying:** Remove horses prior to application. Before application, close doors, windows and other openings and shut off ventilating systems to reduce air movement as much as possible. Apply with a good machine adjusted to deliver a fine mist or fog. Direct spray at an upward angle, distributing it uniformly throughout the entire area at a rate of 2 fluid ounces per 1,000 cubic feet (10 ft x 10 ft x 10 ft). Apply by directing spray toward ceiling and corners until the space is filled with mist. For best results, keep doors and windows closed, when possible, for 10 minutes during spraying and after application. Applicator must not remain in treated area. After the 10 minute treatment period, the area should be opened and ventilated prior to reoccupation by humans or animals.

Do not use where livestock (other than horses) are housed or fed, or where livestock feeds are stored. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not repeat treatment more than once every day.

EPA REG. No. 270-329

Ⓐ EPA Est. No. 11715-TN-1

Ⓑ EPA Est. No. 2724-TX-1


Circled letter in front of the EPA Est. No. corresponds to the first letter in lot no. on container.

ETOC is a registered trademark of Sumitomo Chemical Company, Limited

Product Code: 100502328 • RM#: 300503113

©2008 Farnam Companies, Inc.

Made in USA • 08-1534



**Kills & Repels**  
6 Fly Species,  
Ticks, Gnats  
& Mosquitoes



# BRONCO<sup>®</sup>e

## Equine Fly Spray Plus Citronella Scent

*Insecticide & Repellent For Use on Horses,  
Ponies, Foals and in Horse Barns and Stables*



**ACTIVE INGREDIENTS:**

Prallethrin*	0.033%
Permethrin**	0.100%
Piperonyl Butoxide, Technical***	0.500%

<b>OTHER INGREDIENTS</b>	99.367%
<b>TOTAL</b>	100.000%

\* (RS)-2-Methyl-4-oxo-3-(2-propenyl)cyclohex-2-enyl (1R)-cis, trans chrysanthemate (ETOC<sup>®</sup>)

\*\* (3-phenoxyphenyl) methyl (±) cis/trans 3 - (2,2 dichloroethenyl) 2,2-dimethyl cyclopropane carboxylate.

cis/trans ratio: min 35% (±) cis and max. 65% (±)trans.

\*\*\* Equivalent to 0.40% (butylcarbityl) (6-propylpiperonyl) ether and 0.10% of related compounds.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See back panel for additional precautionary statements

**Net Contents 1 Gal (3.785 L)**

Product Code: 100502327 • RM#: 300503117 • 08-1598

**READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON HORSES, PONIES AND FOALS  
NOT FOR USE ON HORSES INTENDED FOR SLAUGHTER**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR HORSES USE FULL STRENGTH.** This non-oily insecticide repellent may be applied with a trigger spray applicator, or as a wipe. Kills and repels stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks, fleas, chiggers, and lice. Not for use on horses intended for slaughter.

**DIRECTIONS FOR TRIGGER SPRAY USE:** Remove excess dirt and dust. Apply light spray mist to coat while brushing lightly against lay of the hair. Avoid spray in eyes and mucous membranes. Apply with sponge or cloth to those areas.

**DIRECTIONS FOR WIPE-ON USE:** Thoroughly brush horse to remove excess dirt and dust. Extremely dirty horses should be shampooed, rinsed, and allowed to dry before applying wipe. Use a sponge or clean soft cloth or mitt. Apply liberally over areas to be protected. Pay special attention to legs, belly, shoulders, neck, and facial areas. Avoid eyes and mucous membranes.

**TO KILL AND REPEL FLYING INSECTS IN HORSE QUARTERS:** Use this product in horse barns and stables to kill and repel stable flies, horse flies, face flies, deer flies, house flies, horn flies, mosquitoes, gnats, ticks (including Deer Ticks), fleas, chiggers, and lice. Apply undiluted as either a surface spray or space spray (fog).

**Surface Spraying:** Use a good sprayer adjusted to deliver a coarse wet spray. Apply as a coarse wet spray using 1 pint per 1,000 square feet. Direct the spray wherever flies congregate or alight, until surfaces are moistened. Treat around doorways, feed storage rooms, alleyways and windowsills. Spray around outside of door facings and screens to render area unattractive to insects. This helps to repel insects and prevent entrance into building.

**Space Spraying:** Remove horses prior to application. Before application, close doors, windows and other openings and shut off ventilating systems to reduce air movement as much as possible. Apply with a good machine adjusted to deliver a fine mist or fog. Direct spray at an upward angle, distributing it uniformly throughout the entire area at a rate of 2 fluid ounces per 1,000 cubic feet (10 ft x 10 ft x 10 ft). Apply by directing spray toward ceiling and corners until the space is filled with mist. For best results, keep doors and windows closed, when possible, for 10 minutes during spraying and after application. Applicator must not remain in treated area. After the 10 minute treatment period, the area should be opened and ventilated prior to reoccupation by humans or animals.

Do not use where livestock (other than horses) are housed or fed, or where livestock feeds are stored. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Do not repeat treatment more than once every day.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION**

**HUMANS:** Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**ANIMALS:** Avoid contact with eyes, or mucous membranes. Avoid treatment of foals under 6 weeks of age unless prescribed by a veterinarian.

**FIRST AID**

<b>IF SWALLOWED</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>IF IN EYES</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>IF ON SKIN</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15–20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>IF INHALED</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>

In case of emergency or for product information, call (800) 234-2269

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur.

**STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry place inaccessible to children and pets. **DISPOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Manufactured for: **FARNAM COMPANIES, INC.**  
Horse Products Division  
P.O. Box 34820 • Phoenix, AZ 85067-4820 • farnamhorse.com  
In case of emergency or for product use information, call 800-234-2269  
Product Code: 100502327 • RM#: 300503116  
©2008 Farnam Companies, Inc. • Made in USA • 08-1598



EPA REG. No. 270-329  
ⒶEPA Est. No. 11715-TN-1  
ⒷEPA Est. No. 2724-TX-1

Circled letter in front of the EPA Est. No. corresponds to the first letter in lot no. on container.

ETOC is a registered trademark of Sumitomo Chemical Company, Limited